THERMOCHIMICA ACTA, VOLUME 132 (1988)

AUTHOR INDEX

Abas, K.F. 253
Abd El-Rehim, N. 1
Abdulaziz, B.S. 253
Aboul-Gheit, A.K. 257
Al-Sammerrai, D. 245
Al-Wahaib, I.H. 253
Al-Yaseen, K. 245
Amin, R.S. 265

Bayoumi, A.M. 1
Bhatta, D. 7
Botto, I.L. 279
Bradford Thompson, H. 67

Cadorniga, R. 181
Cesteros, L.C. 193
Chevalier, P.-Y. 111

Dominguez, E. 193
Dyer, A. 127

Edwards, J.G. 67
El-Shobaky, G.A. 117

Faraglia, G. 217
Fouda, M.F.R. 265

Gallo, R. 161
Galwey, A.K. 205

Hassanein, M. 155, 265
Hejtmánek, J. 35
Herley, P.J. 205

Ibrahim, A.A. 117
Ibrahim, W.K. 253

Jain, P.C. 297
Jain, R. 275
Jassal, M.M.S. 275
Jena, B. 7

Kadioğlu, E. 289
Kamimoto, M. 15
Kandil, S.H. 1
Kassem, M.E. 1
Katime, I.A. 193
Kernaghan, K. 101
Khadikar, P.V. 25
Küçükbayrak, S. 289
Kuriyama, N. 75
Kurkisuo, S. 235

Laborra, C. 193
Lalia-Kantouri, M. 165
Lozano, R. 181

Matsuo, T. 133
Mattila, T. 235
Mohamed, M.A. 205
Moriya, K. 133

Nagata, I. 53
Negishi, A. 15
Nevřiva, M. 35
Nidawy, N. 245

Ohashi, H. 187
Ozawa, T. 15

Palomares, F. 193
Pirilä-Honkanen, P. 235
Pollert, E. 35

Randhawa, B.S. 229
Ricca, G. 161
Rukajärvi, V. 235
Ruostesuo, P. 235

Saghal, M.A. 127
Sahoo, M.K. 7
Sakamoto, R. 15
Sakiyama, M. 75
Salarzadeh, I. 45
Sandhu, H.K. 229
Sandu, C. 89
Šatava, V. 285
Satoh, T. 53
Sawhney, S.S. 275
Šesták, J. 35
Severini, F. 161
Sharma, H.S.S. 101
Šimečková, M. 35
Singh, R.K. 89
Sitran, S. 217
Srivastava, A. 297
Srivastava, A.K. 297
Suga, H. 133

Takahashi, Y. 15
Tariq, S.A. 45
Tříska, A. 35

Veiga, M.D. 181
Vera, N. 181
Volponi, L. 217

Wells, C.F. 141

Youri-Tsochatzi, C. 165

THERMOCHIMICA ACTA, VOLUME 132 (1988)

SUBJECT INDEX

Acetic acid,
thermodynamics of associated solutions. Vapour–liquid equilibrium for solutions of acetic acid and non-polar components with association in both phases (Nagata, Satoh) 53
Additives,
influence of additives on the solid phase thermal decomposition of barium bromate (Bhatta et al.) 7
role of additives in the thermal decomposition of ammonium perchlorate and evidence supporting the identification of nitryl perchlorate as the essential reaction intermediate (Galwey et al.) 205
Alkali metal succinates,
comparative study of thermal analysis of alkali metal succinates (Randhawa, Sandhu) 229
Alkali nitrites,
thermodynamic properties of alkali and thallium nitrites: the ionic plastically crystalline state (Moriya et al.) 133
Ammonia,
desorption of presorbed ammonia, triethylamine and pyridine from the acid sites of mordenites via differential scanning calorimetry (Aboul-Gheit) 257
Ammonium perchlorate,
role of additives in the thermal decomposition of ammonium perchlorate and evidence supporting the identification of nitryl perchlorate as the essential reaction intermediate (Galwey et al.) 205
Associated solutions,
thermodynamics of associated solutions. Vapour–liquid equilibrium for solutions of acetic acid and non-polar components with association in both phases (Nagata, Satoh) 53
Association,
thermodynamics of associated solutions. Vapour–liquid equilibrium for solutions of acetic acid and non-polar components with association in both phases (Nagata, Satoh) 53

Barium bromate,
influence of additives on the solid phase thermal decomposition of barium bromate (Bhatta et al.) 7

5,6-Benzoquinoline-*N*-oxide,
thermal studies on complexes of zinc(II) and cadmium(II) with 5,6-benzoquinoline-*N*-oxide (Srivastava et al.) 297
Bi–Ge,
thermodynamic evaluation of the Bi–Ge system (Chevalier) 111
Binary mixtures,
thermodynamic properties of binary mixtures containing sulfur amide. Part 4. Excess molar volumes of *N*-methylbenzenesulfonamide + various solvents (Mattila et al.) 235

Cadmium(II),
thermal studies on complexes of zinc(II) and cadmium(II) with 5,6-benzoquinoline-*N*-oxide (Srivastava et al.) 297
Co(III) diphenylcarbazonate complex,
thermal and spectroscopic characterization of Co(III) and Ni(II) diphenylcarbazonate complexes (Hassanein et al.) 265
Colloidal stability,
thermal and colloidal stability behaviour of overbased petroleum sulphonate additives (Al-Wahaib et al.) 253
Copper(II) salicylhydroxamate,
X-ray *K*-absorption as a probe for investigating thermal behaviour of complexes: related thermal and X-ray *K*-absorption studies on copper(II) salicylhydroxamate (Khadikar) 25
Cr(III)–P(V)Mo(VI),
reactions of single Cr(III)–P(V)Mo(VI) and double Cr(VI)–P(V)Mo(VI) phase systems in molten KNO_3 (Hassanein) 155
Cr(VI)–P(V)Mo(VI),
reactions of single Cr(III)–P(V)Mo(VI) and double Cr(VI)–P(V)Mo(VI) phase systems in molten KNO_3 (Hassanein) 155

Desorption,
desorption of presorbed ammonia, triethylamine and pyridine from the acid sites of mordenites via differential scanning calorimetry (Aboul-Gheit) 257
Desulfurization,
desulfurization of some Turkish lignites during oxidation by air (Küçükbayrak, Kadioğlu) 289

Dichlorobenzoylhydrazine,
spectral and thermal studies of some novel and bivalent metal chelates of dichlorobenzoylhydrazines (Youri-Tsochatzi, Lalia-Kantouri) 165
Dirhodium tetra-acetate adducts,
spectroscopic and thermal studies on dirhodium tetra-acetate adducts with thiocarbonyl donors (Faraglia et al.) 229

Electronegativities,
relations between the heats of formation of lanthanide trihalides and the electronegativities of the halogen ions (Ohashi) 187
Equilibrium vapor pressure,
optimum temperature programs to achieve thermogravimetry with equilibrium vapor pressure as a probe (Edwards, Bradford Thompson) 67

Ferric oxide,
effects of Li_2O doping on thermal solid–solid interaction between ferric oxide and nickel carbonate (Ibrahim, El-Shobaky) 117
Flax fibres,
thermogravimetric analysis of flax fibres (Sharma, Kernaghan) 101
Free energies of transfer,
ionic solvation in water + co-solvent mixtures. Part 17. The "neutral" component of free energies of transfer of single ions from water into water + ethanol mixtures (Wells) 141

Gas–solid reaction calorimetry system,
construction and testing of a gas–solid reaction calorimetry system using a Tian–Calvet microcalorimeter (Kuriyama, Sakiyama) 75

Halogen ions,
relations between the heats of formation of lanthanide trihalides and the electronegativities of the halogen ions (Ohashi) 187
Hydrated calcium carboaluminates,
direct determination of standard enthalpies and Gibbs energies of formation and absolute entropies of hydrated calcium sulphoaluminates and carboaluminates (Šatava) 285
Hydrated calcium sulphoaluminates,
direct determination of standard enthalpies and Gibbs energies of formation and absolute entropies of hydrated calcium sulphoaluminates and carboaluminates (Šatava) 285

Intermediate,
role of additives in the thermal decomposition of ammonium perchlorate and evidence supporting the identification of nitryl perchlorate as the essential reaction intermediate (Galwey et al.) 205
Ionic plastically crystalline state,
thermodynamic properties of alkali and thallium nitrites: the ionic plastically crystalline state (Moriya et al.) 133
Ionic solvation,
ionic solvation in water + co-solvent mixtures. Part 17. The "neutral" component of free energies of transfer of single ions from water into water + ethanol mixtures (Wells) 141

Lanthanide trihalides,
relations between the heats of formation of lanthanide trihalides and the electronegativities of the halogen ions (Ohashi) 187
Li_2O doping,
effects of Li_2O doping on thermal solid–solid interaction between ferric oxide and nickel carbonate (Ibrahim, El-Shobaky) 117
Lithium carbonate–sodium carbonate–potassium carbonate,
the reactions of some compounds of iron, cobalt and nickel with the molten lithium carbonate–sodium carbonate–potassium carbonate eutectic (Salarzadeh, Tariq) 45

Maleic anhydride,
enthalpy of maleic anhydride polymerization in the presence of pyridine (Severini et al.) 161
Maleic anhydride polymerization,
enthalpy of maleic anhydride polymerization in the presence of pyridine (Severini et al.) 161
N-Methylbenzenesulfonamide,
thermodynamic properties of binary mixtures containing sulfur amide. Part 4. Excess molar volumes of *N*-methylbenzenesulfonamide + various solvents (Mattila et al.) 235
Mixed oxo salt,
study of an ordered mixed oxo salt by thermal and vibrational analysis: $(NH_4)_2H_3AsO_4SO_4$ (Botto) 279
Molten KNO_3,
reactions of single Cr(III)–P(V)Mo(VI) and double Cr(VI)–P(V)Mo(VI) phase systems in molten KNO_3 (Hassanein) 155
Mono-2-phenoxyethyl itaconate,
non-classical free-radical polymerization. Part 1. The polymerization of mono-2-phenoxy-

ethyl and mono-2-phenylethyl itaconates (Katime et al.) 193
Mono-2-phenylethyl itaconate,
non-classical free-radical polymerization. Part 1. The polymerization of mono-2-phenoxyethyl and mono-2-phenylethyl itaconates (Katime et al.) 193
Mordenites,
desorption of presorbed ammonia, triethylamine and pyridine from the acid sites of mordenites via differential scanning calorimetry (Aboul-Gheit) 257

$(NH_4)_2H_3AsO_4SO_4$,
study of an ordered mixed oxo salt by thermal and vibrational analysis: $(NH_4)_2H_3AsO_4SO_4$ (Botto) 279
Nickel carbonate,
effects of Li_2O doping on thermal solid–solid interaction between ferric oxide and nickel carbonate (Ibrahim, El-Shobaky) 117
Ni(II) diphenylcarbazonate complex,
thermal and spectroscopic characterization of Co(III) and Ni(II) diphenylcarbazonate complexes (Hassanein et al.) 265
Nitryl perchlorate,
role of additives in the thermal decomposition of ammonium perchlorate and evidence supporting the identification of nitryl perchlorate as the essential reaction intermediate (Galwey et al.) 205
Novel bivalent metal chelates,
spectral and thermal studies of some novel and bivalent metal chelates of dichlorobenzoylhydrazines (Youri-Tsochatzi, Lalia-Kantouri) 165

Optimum temperature programs,
optimum temperature programs to achieve thermogravimetry with equilibrium vapor pressure as a probe (Edwards, Bradford Thompson) 67
Oxidation,
desulfurization of some Turkish lignites during oxidation by air (Küçükbayrak, Kadioğlu) 289
Oxodipine,
thermal determination of solid dispersions of oxodipine (Veiga et al.) 181

Perovskite,
thermoanalytical investigation of $(YBa_2)_2Cu_3O_{7-y}$ superconductor. II. Perovskite formation from coprecipitated oxalate (Negishi et al.) 15
Petroleum sulphonate additives,
thermal and colloidal stability behaviour of overbased petroleum sulphonate additives (Al-Wahaib et al.) 253
Phase transition,
study on the phase transition in potassium hydrogen sulphate crystals (Kandil et al.) 1
Physical transformations,
physical transformations in differential scanning calorimetry (Sandu, Singh) 89
Polyethyleneoxides,
study of thermal stabilities of polyethyleneoxides (molecular weight range, $M\bar{n}$ = 200–4000) (Al-Sammerai et al.) 245
Potassium hydrogen sulphate,
study on the phase transition in potassium hydrogen sulphate crystals (Kandil et al.) 1
Pyridine,
enthalpy of maleic anhydride polymerization in the presence of pyridine (Severini et al.) 161
desorption of presorbed ammonia, triethylamine and pyridine from the acid sites of mordenites via differential scanning calorimetry (Aboul-Gheit) 257

Solid dispersions,
thermal determination of solid dispersions of oxodipine (Veiga et al.) 181
Solid phase thermal decomposition,
influence of additives on the solid phase thermal decomposition of barium bromate (Bhatta et al.) 7
Solid–solid interaction
effects of Li_2O doping on thermal solid–solid interaction between ferric oxide and nickel carbonate (Ibrahim, El-Shobaky) 117
Sulfur amide,
thermodynamic properties of binary mixtures containing sulfur amide. Part 4. Excess molar volumes of *N*-methylbenzenesulfonamide + various solvents (Mattila et al.) 235
Superconductor,
thermoanalytical investigation of $(YBa_2)_2Cu_3O_{7-y}$ superconductor. II. Perovskite formation from coprecipitated oxalate (Negishi et al.) 15
Synthetic zeolites,
standardization of TMA (dilatometry) for application of the study of synthetic zeolites (Dyer, Saghal) 127

Thallium nitrite,
thermodynamic properties of alkali and thallium nitrites: the ionic plastically crytalline state (Moriya et al.) 133
Thermal stability,
study of thermal stabilities of polyethyleneoxides (molecular weight range, $M\bar{n}$ =

200–4000) (Al-Sammerai et al.) 245
thermal and colloidal stability behaviour of overbased petroleum sulphonate additives (Al-Wahaib et al.) 253
Thiocarbonyl donors,
spectroscopic and thermal studies on dirhodium tetra-acetate adducts with thiocarbonyl donors (Faraglia et al.) 217
Tian–Calvet microcalorimeter,
construction and testing of a gas–solid reaction calorimetry system using a Tian–Calvet microcalorimeter (Kuriyama, Sakiyama) 75
TMA,
standardization of TMA (dilatometry) for application of the study of synthetic zeolites (Dyer, Saghal) 127
Triethylamine,
desorption of presorbed ammonia, triethylamine and pyridine from the acid sites of mordenites via differential scanning calorimetry (Aboul-Gheit) 257
Tris(2-hydroxy-1,4-naphthoquinonato) Eu(III),
thermal studies on tris(2-hydroxy-1,4-naphthoquinonato) Eu(III), Gd(III) and Tb(III) (Sawhney et al.) 275
Tris(2-hydroxy-1,4-naphthoquinonato) Gd(III),
thermal studies on tris(2-hydroxy-1,4-naphthoquinonato) Eu(III), Gd(III) and Tb(III) (Sawhney et al.) 275
Tris(2-hydroxy-1,4-naphthoquinonato) Tb(III),
thermal studies on tris(2-hydroxy-1,4-naphthoquinonato) Eu(III), Gd(III) and Tb(III) (Sawhney et al.) 275
Turkish lignites,
desulfurization of some Turkish lignites during oxidation by air (Küçükbayrak, Kadioğlu) 289

Vapour–liquid equilibrium,
thermodynamics of associated solutions. Vapour–liquid equilibrium for solutions of acetic acid and non-polar components with association in both phases (Nagata, Satoh) 53

Water + ethanol mixtures,
ionic solvation in water + co-solvent mixtures. Part 17. The "neutral" component of free energies of transfer of single ions from water into water + ethanol mixtures (Wells) 141

X-ray *K*-absorption,
X-ray *K*-absorption as a probe for investigating thermal behaviour of complexes: related thermal and X-ray *K*-absorption studies on copper(II) salicylhydroxamate (Khadikar) 25

$YBa_2Cu_3O_x$,
on phases and characterisation of quenched $YBa_2Cu_3O_x$ (Šesták et al.) 35
$(YBa_2)_2Cu_3O_{7-y}$,
thermoanalytical investigation of $(YBa_2)_2Cu_3O_{7-y}$ superconductor. II. Perovskite formation from coprecipitated oxalate (Negishi et al.) 15

Zinc(II),
thermal studies on complexes of zinc(II) and cadmium(II) with 5,6-benzoquinoline-*N*-oxide (Srivastava et al.) 297